

2024 DEALER CATALOG

INDEX

- 7 2024 NEW PRODUCTS
- 9 CLASSIC HUNTING
- 21 MODERN HUNTING
- 41 EVERYDAY CARRY
- 67 FISHING & OUTDOORS
- 75 2024 LEGACY COLLECTION
- 81 SHARPENERS
- 83 DISPLAYS
- 85 GEAR



BUCK® KNIVES is unapologetically rooted in legacy, committed to craftsmanship, and defined by our devotion to our customers since 1902. We believe integrity and self-reliance are never out of style. Our brand stands as a bellwether of getting the job done right for over 120 years.

EXPERIENCE TAKES TIME.

There's a lot that goes into mastering a craft. It can take years—even decades—of experience to become the best at what we do, and there are no shortcuts to getting us there. Ultimately, it's the time and the experience gained that reveals the difference between knowing how to do something and knowing how to do it really, really well. That difference can be remarkable.

At Buck, we never take our experience for granted. It's the foundation for every knife we make. On that experience, we continue to build—learning, strengthening, and honing our craft, employee by employee—every day to make the best knives we can. It's our job, our passion, and our promise to you as our customer.

Experience Unrivaled.



CRAFTSMANSHIP • HERITAGE • AUTHENTICITY THE BUCK DIFFERENCE

From our in-house heat treatment to our Forever Warranty, the process of building a knife the Buck way is what makes a Buck knife stand apart from its competition.

PAUL BOS HEAT TREATMENT

Heat treat could best be called "temperature treating" since Buck uses a system of hot and cold to get the most from the steel. This system was pioneered by Paul Bos, whose heat treating formulas have proven to be the best in the business. Each blade is tempered to the appropriate Rockwell hardness through a heating, freezing, and reheating system that defines the properties desired from the steel.

"Paul Bos dedicated over five decades to dialing in and perfecting our heat treat process. The proper heat treat is critical to ensure the best balance between hardness for edge retention, ductility and strength for rugged use, and optimization for corrosion resistance. We still rely on Paul's expertise today and religiously follow the time-tested formulas he pioneered."

> -CJ Buck CEO and Chairman, Buck Knives







FOREVER MEANS FOREVER

At Buck, we guarantee our knives forever because we believe in the integrity of our products. It was the philosophy of our founder, Hoyt Buck, that pioneered our Forever Warranty, and we continue to pass it down with each generation. Hoyt recognized what Buck knives have to offer and was committed to making them last.



NEW PRODUCTS

24	ALPHA ELITES
27	ALPHA SELECTS
29	PAKLITE PROS
31	PAKLITE SELECTS
44	WHARNCLIFFE DEPLOYS
59	TRACE SERIES
62	SOVEREIGN SERIES
77	2024 LEGACY COLLECTION
83	NEW DISPLAYS
85	NEW BUCK GEAR



CLASSIC HUNTING

BLADE Clip point, 420HC steel

BLADE LENGTH

3.75" (9.53 cm) **BLADE THICKNESS** 0.120" (0.305 cm) CLOSED LENGTH

4.875" (12.40 cm) WEIGHT 7.10 oz (201.30 g) HANDLE Crelicam[™] genuine ebony with brass bolsters SHEATH

Black genuine leather, made in the USA

ENDURING LEGACY AND TIMELESS STYLE THE 110 FAMILY

There's a reason the 110 has been one of our best sellers since it was created in 1964. This tried and true classic continues to perform without fail year in and year out.

110 FOLDING HUNTER®

EBONY



Clip point, 420HC steel **BLADE LENGTH** 3.75" (9.50 cm) **BLADE THICKNESS** 0.120" (0.305 cm) CLOSED LENGTH 4.875" (12.38 cm) WEIGHT 7.20 oz (204.00 g) HANDLE Crelicam[™] genuine ebony, regular or finger grooved with brass bolsters

imported

STANDARD BOX MODEL 0110BRS-B CATALOG 9210 CLAM MODEL 0110BRS-C CATALOG 1268 FINGER GROOVED BOX MODEL 0110 BRSFG-B CATALOG 2538







110 AUTO

BOX MODEL 0110BRSA-B CATALOG 11197 The sale of automatic knives is federally regulated. See page 90 for details.





BLADE

BLADE LENGTH 3.75" (9.53 cm) **BLADE THICKNESS** 0.120" (0.305 cm) CLOSED LENGTH 4.875" (12.40 cm)

Clip point, S30V steel

WEIGHT 7.30 oz (206.95 g) HANDLE Black G10 with brushed

nickel silver bolsters SHEATH Black genuine leather, made in the USA



BOX MODEL 0110BKSA-B CATALOG 11667

The sale of automatic knives is federally regulated. See page 90 for details.

110 FOLDING HUNTER® LT



Clip point, 420HC steel **BLADE LENGTH** 3.75" (9.53 cm) **BLADE THICKNESS** 0.120" (0.305 cm) CLOSED LENGTH 4.875" (12.40 cm) WEIGHT 3.20 oz (90.70 g) HANDLE Black glass filled nylon

> SHEATH Black, heavy-duty polyester, imported

BLADE

BOX MODEL 0110BKSLT-B CATALOG 11553 CLAM MODEL 0110BKSLT-C CATALOG 11554



CLOSED LENGTH 4.25" (10.80 cm) WEIGHT 5.60 oz (159.40 g) HANDLE Crelicam™ genuine ebony, regular or finger grooved with brass bolsters SHEATH

0.120" (0.305 cm

EBONY HANDLE STANDARD BOX MODEL 0112BRS-B CATALOG 2632 FINGER GROOVED BOX MODEL 0112BRSFG-B CATALOG 2539

Black genuine leather, imported CLAM MODEL 0112BRS-C CATALOG 1264

112 AUTO

112 RANGER



BLADE LENGTH 3.00" (7.60 cm)

BLADE THICKNESS 0.120" (0.305 cm) CLOSED LENGTH 4.25" (10.80 cm) WEIGHT 5.90 oz (167.30 g) HANDLE

Crelicam[™] genuine ebony with brass bolsters SHEATH

Black genuine leather, made in the USA



AN INVENTIVE SOLUTION, FORGED IN NECESSITY THE 112 FAMILY

After a scuffle on an aircraft carrier in 1972 led to a ban on larger blades being carried aboard ship, the 112 Ranger was added to fit the new requirements. Since then, the 112 Ranger's smaller size has developed a dedicated following and remains one of our best sellers of all time.





BOX MODEL 0112BRSA-B CATALOG 11894 The sale of automatic knives is federally regulated. See page 90 for details.





BLADE LENGTH 3.00" (7.60 cm **BLADE THICKNESS** 0.120" (0.305 cm) CLOSED LENGTH 4.25" (10.80 cm) WEIGHT

6.10 oz (172.90 g) HANDLE Black G10 with brushed nickel silver bolsters SHEATH

Black genuine leather,

made in the USA

Clip point, S30V steel

BLADE

AUTOMATIC ENGAGES WITH THE

BOX MODEL 0112BKSA-B CATALOG 11895

The sale of automatic knives is federally regulated. See page 90 for details.



TIMELESS QUALITY, MODERN PERFORMANCE THE 100 PRO SERIES

Experience the time-honored Buck craftsmanship that has earned your trust for decades, now elevated with top-tier S35VN blade steel and natural canvas micarta handles. We've upgraded our most sought-after fixed blades with modern materials.



102 BUCK WOODSMAN® PRO



BOX MODEL102GRS1-B CATALOG13109

103 SKINNER PRO







BOX MODEL 0103GRS1-B CATALOG 13108

105 PATHFINDER® PRO





BOX MODEL 0105GRS1-B CATALOG 13107

117 BRAHMA PRO





BOX MODEL 0117GRS-B CATALOG 13455

119 SPECIAL[®] PRO



BOX MODEL 0119GRS1-B CATALOG 13105



BOX MODEL 0120GRS1-B CATALOG 13104

BLADE

102: Clip point, S35VN steel 103: Extra wide skinner, S35VN steel 105: Modified clip point, S35VN steel 117: Clip point, S35VN steel 119: Clip point, S35VN steel 120: Clip point, S35VN steel **BLADE LENGTH** 102: 4.00" (10.20 cm)

103: 4.00" (10.20 cm) 105: 5.00" (12.70 cm) 117: 4.50" (11.40 cm)

119: 6.00" (15.20 cm) 120: 7.375" (18.70 cm) BLADE THICKNESS **102:** 0.120" (0.305 cm) **103:** 0.120" (0.305 cm) **105:** 0.120" (0.305 cm) **117:** 0.120" (0.305 cm) **119:** 0.175" (0.445 cm) 120: 0.175" (0.445 cm)

OVERALL LENGTH 102: 7.75" (19.70 cm)

103: 8.25" (20.90 cm) 105: 9.125" (23.20 cm) **117:** 8.75" (22.00 cm) **119:** 10.50" (26.70 cm)

120: 12.00" (30.40 cm) WEIGHT 102: 2.60 oz (73.70 g)

103: 4.30 oz (121.90 g) 105: 4.30 oz (121.90 g)

117: 4.90 oz (139.00 g) 119: 7.70 oz (218.30 g)

120: 8.30 oz (235.30 g) HANDLE O.D. green canvas

micarta handle SHEATH Black genuine leather,

imported



BLADE

102: Clip point, 420HC steel 103: Extra wide skinner, 420HC steel 105: Modified clip point, 420HC steel 117: Clip point, 420HC steel **119:** Clip point, 420HC steel **120:** Clip point, 420HC steel **BLADE LENGTH** 102: 4.00" (10.20 cm)

103: 4.00" (10.20 cm) 105: 5.00" (12.70 cm) 117: 4.50" (11.40 cm)

119: 6.00" (15.20 cm) 120: 7.375" (18.70 cm) **BLADE THICKNESS** 102: 0.120" (0.305 cm) 103: 0.120" (0.305 cm) 105: 0.120" (0.305 cm) 117: 0.120" (0.305 cm) **119:** 0.175" (0.445 cm) 120: 0.175" (0.445 cm)

OVERALL LENGTH 102: 7.75" (19.70 cm)

103: 8.25" (20.90 cm) 105: 9.125" (23.20 cm) **117:** 8.75" (22.00 cm) **119:** 10.50" (26.70 cm)

120: 12.00" (30.40 cm) WEIGHT 102: 2.60 oz (73.70 g)

103: 4.30 oz (121.90 g) 105: 4.30 oz (121.90 g)

117: 4.90 oz (139.00 g) 119: 7.50 oz (213.50 g)

120: 8.30 oz (235.30 g) HANDLE

Black phenolic handle

SHEATH Black genuine leather, imported



ICONIC RESILIENCE WITH ENDURING EXCELLENCE THE CLASSIC 100 SERIES

When you hold one of the Buck 100 Series knives in your hand, you're not just gripping a knife; you're holding a legendary piece of American craftsmanship that has stood the test of time. For a good reason, these iconic fixed blades have been trusted companions for outdoors enthusiasts, hunters, and sportsmen for generations.



102 BUCK WOODSMAN[®]



BOX MODEL 0102BKS-B CATALOG 2628 CLAM MODEL 0102BKS-C CATALOG 1271

103 SKINNER





BOX MODEL 0103BKS-B CATALOG 2659

105 PATHFINDER®



BOX MODEL 0105BKS-B CATALOG 2535 | CLAM MODEL 0105BKS-C CATALOG 1272

117 BRAHMA



BOX MODEL 0117BKS-B CATALOG 13453 CLAM MODEL 0117BKS-C CATALOG 13454

119 SPECIAL[®]



BOX MODEL 0119BKS-B CATALOG 9207 | CLAM MODEL 0119BKS-C CATALOG 1273

120 GENERAL®



BOX MODEL 0120BKS-B CATALOG 2542 | CLAM MODEL 0120BKS-C CATALOG 3478



Drop point, 420HC steel BLADE LENGTH 4.125" (10.50 cm) BLADE THICKNESS 0.140" (0.356 cm) OVERALL 8.50" (21.60 cm) WEIGHT 6.30 oz (179.40 g) HANDLE

BOX MODEL 0192BRS-B CATALOG 2584

192 VANGUARD




BLADE



BOX MODEL 0113BRS-B CATALOG 3538 CLAM MODEL 0113BRS-C CATALOG 3597

HUCK

113 RANGER SKINNER



BLADE

Drop point, 420HC steel

BLADE LENGTH

3.125" (7.90 cm)

0.120" (0.305 cm)

7.25" (18.40 cm)

5.20 oz (147.40 g)

Crelicam[™] genuine

leather, imported FEATURE Lanyard hole

ebony with brass bolster


OVERALL

WEIGHT

HANDLE

SHEATH Black genuine

BLADE THICKNESS



4.125" (10.50 cm) **BLADE THICKNESS** 0.140" (0.356 cm) OVERALL 8.50" (21.60 cm) WEIGHT 6.60 oz (187.90 g) HANDLE Textured rubber with brass pommel and guard SHEATH Black heavy-duty polyester, imported

BOX MODEL 0691BKG-B CATALOG 2607







NEW 663 ALPHA GUIDE ELITE

BLADE Drop point flat grind blade with jimping, MagnaCut steel BLADE LENGTH 4.375" (11.11 cm) BLADE THICKNESS 0.140" (0.356 cm) OVERALL 9.00" (22.86 cm) WEIGHT 5.40 oz (153.10 g) HANDLE Black machine textured G10 SHEATH

Black Kydex with belt

loop attachment for multiple carry options.

imported

THE ALPHA SERIES

Now available in three tiers, and four model types, the Alpha Series knives are ready for any task. With options in MagnaCut, S35VN, and 420HC, there is a steel type that fits every hunter's needs.





BOX MODEL 0663BKS-B CATALOG 13783

ELITE NEW 664 ALPHA HUNTER[®] ELITE

BUCK TO USA



 BLADE LENGTH

 3.75" (9.53 cm)

 BLADE THICKNESS

 0.140" (0.356 cm)

 OVERALL

 8.125" (20.64 cm)

 WEIGHT

5.20 oz (147.40 g) HANDLE Black machine textured G10 SHEATH Black Kydex with belt loop attachment for multiple carry options,

imported



BOX MODEL0664BKS-B CATALOG13784



Drop point flat grind blade with jimping, MagnaCut steel BLADE LENGTH 2.875" (7.30 cm) BLADE THICKNESS 0.140" (0.356 cm) OVERALL 6.50" (16.51 cm) WEIGHT 3.10 oz (87.90 g) MODERN HUNTING

HANDLE Black machine textured G10 SHEATH Black Kydex with belt loop attachment for multiple carry options, imported



BLADE Drop point flat grind blade with jimping, S35VN steel BLADE LENGTH 4.375" (11.11 cm) BLADE THICKNESS

0.140" (0.356 cm) **OVERALL** 9.00" (22.86 cm) **WEIGHT** 5.00 oz (141.70 g)

HANDLE Machine textured Richlite or walnut DymaLux* SHEATH Burgundy genuine leather, made in the USA

662 ALPHA SCOUT PRO



OVERALL 6.50" (16.51 cm) WEIGHT 2.79 oz (79.10 g) HANDLE Machine textured Richlite or walnut DymaLux* SHEATH Burgundy genuine leather, made in the USA

BLADE

Drop point flat grind blade with jimping, S35VN steel

BLADE LENGTH 2.875" (7.30 cm)

BLADE THICKNESS

0.140" (0.356 cm)

 RICHLITE
 BOX
 MODEL 0662BRS-B
 CATALOG 13463

 WALNUT
 BOX
 MODEL 0662WAS-B
 CATALOG 13464


 RICHLITE
 BOX
 MODEL 0663BRS-B
 CATALOG 13622

 WALNUT
 BOX
 MODEL 0663WAS-B
 CATALOG 13623

NEW 663 ALPHA GUIDE PRO

BUCK T USA

BUCK T USA



664 ALPHA HUNTER® PRO BLADE Drop point flat grind blade with jimping, S35VN steel BLADE LENGTH 3.625" (9.21 cm) **BLADE THICKNESS** O at a construction of the 0.140" (0.356 cm) BUCK T USA OVERALL 8.125" (20.64 cm) WEIGHT 4.59 oz (130.10 g) HANDLE Machine textured Richlite or walnut DymaLux° SHEATH Burgundy genuine leather, made in the USA BUCK T USA

 RICHLITE
 BOX
 MODEL 0664BRS-B
 CATALOG 13465

 WALNUT
 BOX
 MODEL 0664WAS-B
 CATALOG 13466

BLADE Drop point hollow grind blade with jimping, 420HC steel **BLADE LENGTH** 3.625" (9.21 cm) **BLADE THICKNESS**

0.140" (0.356 cm) OVERALL 8.375" (21.27 cm) WEIGHT 4.85 oz (137.50 g) HANDLE Glass filled nylon with Versaflex SHEATH Black polyester with leather accents, imported



E

NEW 664 ALPHA HUNTER® SELECT

BUCK T USA

BUCK T USA





GRAY BOX MODEL 0664GYG-B CATALOG 13734 CLAM MODEL 0664GYG-C CATALOG 13735 ORANGE BOX MODEL 06640RG-B CATALOG 13726 CLAM MODEL 06640RG-C CATALOG 13727

NEW 662 ALPHA SCOUT SELECT



BLADE

Drop point hollow grind blade

with jimping, 420HC steel

BLADE LENGTH

BLADE THICKNESS

0.140" (0.356 cm)

6.50" (16.51 cm)

2.90 oz (82.10 g)

Glass filled nylon

with Versaflex SHEATH

Black polyester

with leather accents,

OVERALL

WEIGHT

HANDLE

imported

BLADE

Drop point hollow grind blade

with jimping, 420HC steel

BLADE LENGTH

with leather accents.

2.875" (7.30 cm)

BOX MODEL 0662GYS-B CATALOG 13730 CLAM MODEL 0662GYS-C CATALOG 13731 GRAY ORANGE BOX MODEL 06620RS-B CATALOG 13722 CLAM MODEL 06620RS-C CATALOG 13723

NEW 663 ALPHA GUIDE SELECT



GRAY BOX MODEL 0663GYS-B CATALOG 13732 CLAM MODEL 0663GYS-C CATALOG 13733 ORANGE BOX MODEL 06630RS-B CATALOG 13724 CLAM MODEL 06630RS-C CATALOG 13725

MAXIMUM PERFORMANCE, MINIMAL WEIGHT THE PAKLITE SERIES


The PakLites are made light for heavy outdoor use. Featuring full tang, skeletonized construction with minimalist removable handles, these purpose-built blades are for the hunters who count every ounce in their packs.

NEW 631 & 635 PAKLITE FIELD KIT





KNIVES 631 PakLite Field 635 PakLite Cape OVERALL LENGTH 8.25" (20.96 cm) **OVERALL THICKNESS** 1.00" (2.54 cm) SHEATHS Black polypropylene, imported







NEW 630 PAKLITE HIDE PRO





BLADE THICKNESS

0.D. green micarta Black polypropylene,



Skinner, S35VN steel BLADE LENGTH 4.00" (10.16 cm) **BLADE THICKNESS** 0.150" (0.38 cm) 8.25" (20.96 cm) 3.03 oz (85.90 g) O.D. green micarta Black polypropylene

Drop point, S35VN steel **BLADE LENGTH** 2.75" (6.99 cm) **BLADE THICKNESS** 0.110" (0.279 cm) OVERALL 7.125" (18.10 cm) WEIGHT 1.59 oz (45.08 g)

BLADE

HANDLE 0.D. green micarta SHEATH Black polypropylene,

imported

BOX MODEL 0636GRS-B CATALOG 13513

BLADE Drop point, 420HC steel BLADE LENGTH 2.75" (6.99 cm) BLADE THICKNESS 0.110" (0.279 cm) OVERALL 7.125" (18.10 cm) WEIGHT 1.59 oz (45.08 g) HANDLE Glass filled nylon SHEATH Black polypropylene, imported

 BLACK
 BOX
 MODEL 0635BKS-B
 CATALOG 13506
 CLAM
 MODEL 0635BKS-C
 CATALOG 13507

 ORANGE
 BOX
 MODEL 06350RS-B
 CATALOG 13509
 CLAM
 MODEL 06350RS-C
 CATALOG 13507

NEW 635 PAKLITE CAPE SELECT

BUCK TH USA

BUCK T USA

NEW 636 PAKLITE PROCESSOR SELECT BLADE Boning, 420HC steel **BLADE LENGTH** 5.75" (14.61 cm) **BLADE THICKNESS** 0.150" (0.38 cm) OVERALL 9.50" (24.13 cm) WEIGHT BUCK T USA 2.82 oz (79.95 g) HANDLE Glass filled nylon SHEATH Black polypropylene, imported BUCK T USA

 BLACK
 BOX
 MODEL 0636BKS-B
 CATALOG 13511
 CLAM
 MODEL 0636BKS-C
 CATALOG 13512

 ORANGE
 BOX
 MODEL 06360RS-B
 CATALOG 13514
 CLAM
 MODEL 06360RS-C
 CATALOG 13515

BLADE

Drop point, 420HC steel

BLADE LENGTH

BLADE THICKNESS

0.110" (0.279 cm)

6.75" (17.15 cm)

1.76 oz (49.90 g) **HANDLE**

Glass filled nylon

Black polypropylene,

2.75" (6.99 cm)

OVERALL

WEIGHT

SHEATH

imported

 BLACK
 BOX
 MODEL 0630BKS-B
 CATALOG13496
 CLAM
 MODEL 0630BKS-C
 CATALOG13497

 ORANGE
 BOX
 MODEL 06300RS-B
 CATALOG13499
 CLAM
 MODEL 06300RS-C
 CATALOG13497

NEW 630 PAKLITE HIDE SELECT

NYK.

NEW 631 PAKLITE FIELD SELECT

BUCK I USA



 BLACK
 BOX
 MODEL 0631BKS-B
 CATALOG13501
 CLAM
 MODEL 0631BKS-C
 CATALOG13502

 ORANGE
 BOX
 MODEL 06310RS-B
 CATALOG13504
 CLAM
 MODEL 06310RS-C
 CATALOG13505



656 PURSUIT PRO LARGE



BOX MODEL 06560RS-B CATALOG 12751

BOX MODEL 06570RG-B CATALOG 12752

BOX MODEL 06580RS-B CATALOG 12753

BOX MODEL 06590RS-B CATALOG 12754

660 FOLDING PURSUIT PRO LARGE GUTHOOK

657 PURSUIT PRO LARGE GUTHOOK

BUCK TO USA

BUCK TO USA

659 FOLDING PURSUIT PRO LARGE

BUCK SE US

658 PURSUIT PRO SMALL







BLADE

656: Drop point, S35VN steel 657: Guthook, S35VN steel 658: Drop point, S35VN steel 659: Drop point, S35VN steel 660: Guthook, S35VN steel 661: Drop point, S35VN steel

BLADE LENGTH 656: 4.50" (11.40 cm)

656: 4.50" (11.40 cm) 657: 4.50" (11.40 cm) 658: 3.75" (9.50 cm) 659: 3.625" (9.20 cm) 660: 3.50" (9.20 cm) 661: 3.00" (7.60 cm)

BLADE THICKNESS

656: 0.140" (0.356 cm) 657: 0.140" (0.356 cm) 658: 0.100" (0.254 cm) 659: 0.120" (0.305 cm) 660: 0.120" (0.305 cm) 661: 0.120" (0.305 cm)

OVERALL LENGTH 656: 9.50" (24.10 cm) **657:** 9.50" (24.10 cm) **658:** 8.00" (20.30 cm)

CLOSED LENGTH 659: 5.00" (12.70 cm) 660: 5.00" (12.70 cm) 661: 4.375" (11.10 cm)

WEIGHT 655: 6.40 oz (181.50 g) 657: 6.40 oz (181.50 g) 658: 3.30 oz (93.50 g) 659: 3.80 oz (107.70 g) 660: 3.60 oz (102.00 g) 661: 2.50 oz (72.00 g)

HANDLE Glass filled nylon with Versaflex

SHEATH Black heavy-duty polyester, imported

THE PURSUIT PROS

The Pursuit Pros are all about performance. Built with S35VN steel blades, they hold an edge in the field while requiring less sharpening. The handles are made to last, and offer a comfortable, sure grip in all conditions. The Pursuit Pros will assist when hard work is in front of you.





661 FOLDING PURSUIT PRO SMALL



BOX MODEL 06610RS-B CATALOG 12756



656 PURSUIT LARGE





BOX MODEL 0656GRS-B CATALOG 11889 | CLAM MODEL 0656GRS-C CATALOG 11908

657 PURSUIT LARGE GUTHOOK

BUCK TO USA



BOX MODEL 0657GRG-B CATALOG11890 | CLAM MODEL 0657GRG-C CATALOG12224



656: Drop point, 420HC steel 657: Guthook, 420HC steel 658: Drop point, 420HC steel 659: Drop point, 420HC steel 660: Guthook, 420HC steel 661: Drop point, 420HC steel

BLADE LENGTH 656: 4.50" (11.40 cm) 657: 4.50" (11.40 cm) 658: 3.75" (9.50 cm) 659: 3.625" (9.21 cm) 660: 3.50" (8.89 cm) 661: 3.00" (7.60 cm)

BLADE THICKNESS 656: 0.140" (0.356 cm) 657: 0.140" (0.356 cm) 658: 0.100" (0.279 cm 659: 0.120" (0.305 cm) 660: 0.120" (0.305 cm) 661: 0.120" (0.305 cm)

OVERALL LENGTH 656: 9.50" (24.10 cm) 657: 9.50" (24.13 cm) 658: 8.00" (20.32 cm)

CLOSED LENGTH 659: 5.00" (12.70 cm) 660: 5.00" (12.70 cm) 661: 4.375" (11.10 cm) WEIGHT

656: 6.40 oz (181.50 g) 657: 6.40 oz (181.50 g) 658: 3.30 oz (93.51 g) 659: 3.80 oz (107.70 g) 660: 3.60 oz (102.00 g) 661: 2.50 oz (72.00 g)

HANDLE Glass filled nylon with Versaflex

SHEATH Black, heavy-duty polyester with green accents, imported

BUDGET-FRIENDLY FOR ANY CUSTOMER THE PURSUITS

Made for the no-nonsense hunter who doesn't want to sacrifice reliability for price. These knives are designed to be your workhorse in the field. They feature Buck's tried and true 420HC steel that has a great combination of toughness and edge retention. The handles are made to last and offer a comfortable, sure grip in all conditions.







658 PURSUIT SMALL



BOX MODEL 0658GRS-B CATALOG 11891 | CLAM MODEL 0658GRS-C CATALOG 11909

BOX MODEL 0659GRS-B CATALOG 11892 | CLAM MODEL 0659GRS-C CATALOG 11979

660 FOLDING PURSUIT LARGE GUTHOOK



BOX MODEL 0660GRG-B CATALOG 12256 CLAM MODEL 0660GRG-C CATALOG 12257

661 FOLDING PURSUIT SMALL



BOX MODEL 0661GRS-B CATALOG11893 CLAM MODEL 0661GRS-C CATALOG11982



684 BUCKLITE MAX[®] II SMALL

BUCK TO USA



BLADE Drop point, 420HC steel BLADE LENGTH **MODERN HUNTING**

3.25" (8.26 cm) **BLADE THICKNESS** 0.090" (0.23 cm) **OVERALL** 7.50" (19.10 cm)

WEIGHT 2.80 oz (79.38 g) HANDLE Dynaflex® rubber SHEATH Black heavy-duty

polyester, imported

BOX MODEL 0684BKS-B CATALOG 11557 | CLAM MODEL 0684BKS-C CATALOG 11558

--



THE BUCKLITE MAX II

An excellent choice for the hunter on a budget who values a made-in-the-USA knife. With a similar blade shape to our classic Vanguard knives, the BuckLite Max II is a stripped-down version of the classic with an ergonomic rubber handle and a high level of performance.



685 BUCKLITE MAX° II LARGE

BUCK. B USA

BLADE Drop point, 420HC steel BLADE LENGTH 4.00" (10.16 cm) BLADE THICKNESS 0.110" (0.279 cm) OVERALL 8.875" (22.54 cm) WEIGHT 4.70 oz (133.20 g) HANDLE Dynaflex® rubber SHEATH Black heavy-duty polyester, imported

BOX MODEL 0685BKS-B CATALOG 11559 | CLAM MODEL 0685BKS-C CATALOG 11560



BLADE Guthook, 420HC steel BLADE LENGTH 4.00" (10.16 cm)

 BLADE THICKNESS

 0.110" (0.279 cm)

 OVERALL

 8.875" (22.54 cm)

 WEIGHT

 4.70 oz (133.20 g)

 HANDLE

 Dynaflex® rubber

 SHEATH

SHEATH Black heavy-duty polyester, imported

MODERN HUNTING

THE BANTAM SERIES

The sleek, lightweight Bantam was designed as a pocket knife that can meet the demands of a hunter in the field or in their daily life.

284 BANTAM[®] BBW



 BLADE

 Drop point, 420HC steel

 BLADE LENGTH

 2.75" (7.00 cm)

 BLADE THICKNESS

 0.100" (0.254 cm)

 CLOSED LENGTH

 3.75" (9.50 cm)

 WEIGHT

 1.50 oz (42.70 g)

 HANDLE

 Glass reinforced

 textured nylon

 CARRY

 Pocket (no clip)


285 BANTAM[®] BLW



BLADE Drop point, 420HC steel BLADE LENGTH 3.125" (7.94 cm) BLADE THICKNESS 0.1201" (0.205 cm)

0.120" (0.305 cm) CLOSED LENGTH 4.375" (11.10 cm) WEIGHT


2.40 oz (68.04 g) HANDLE Glass reinforced textured nylon CLIP Removable, stainless steel



 BLACK
 BOX
 MODEL
 0.284BKS-B
 CATALOG
 CATALOG
 CLAM
 MODEL
 0.284BKS-C
 CATALOG
 CATALOG
 S760

 MOSSY OAK* BLAZE ORANGE CAMO
 BOX
 MODEL
 0.284CMS9-B
 CATALOG
 0.383
 CLAM
 MODEL
 0.284CMS9-C
 CATALOG
 CATALOG
 0.3894

 MOSSY OAK* BREAK-UP COUNTRY CAMO
 BOX
 MODEL
 0.284CMS24-B
 CATALOG
 0.315
 CLAM
 MODEL
 0.284CMS24-C
 CATALOG
 0.316





 BLACK
 BOX
 MODEL 0286BKS-B
 CATALOG 5763
 CLAM
 MODEL 0286BKS-C
 CATALOG 5764

 MOSSY 0AK* BLAZE ORANGE CAMO
 BOX
 MODEL 0286CMS9-B
 CATALOG 3897
 CLAM
 MODEL 0286CMS9-C
 CATALOG 3898

 MOSSY 0AK* BREAK-UP COUNTRY CAMO
 BOX
 MODEL 0286CMS24-B
 CATALOG 10317
 CLAM
 MODEL 0286CMS24-C
 CATALOG 10318



Drop point, 420HC steel BLADE LENGTH 3.625" (9.20 cm) BLADE THICKNESS 0.120" (0.305 cm) CLOSED LENGTH 5.125" (13.00 cm) WEIGHT 3.20 oz (90.72 g) HANDLE Glass reinforced textured nylon

CLIP Removable, stainless steel

EVERYDAY CARRYD



NEW 838 DEPLOY - WHARNCLIFFE BLADE



BUCK TO USA

BLADE Wharncliffe 838BKS1: Cerakoted S35VN steel 838BLS, 8380RS; 154CM steel **BLADE LENGTH** 3.125" (7.90 cm) **BLADE THICKNESS**

0.120" (0.305 cm) CLOSED LENGTH 5.00" (12.70 cm) WEIGHT

4.70 oz (133.00 g) HANDLE Cerakoted aluminun with a button lock

CLIP Black Cerakoted, removable, reversible, stainless steel

PUSH BUTTON AUTOMATIC OPENERS THE DEPLOY SERIES

The Deploy Series is a new customer favorite. With its push button automatic deployment and sleek design, these knives are crafted to be used for everyday carry.





BLACKOUT BOX MODEL 0838BKS1-B CATALOG 13712 BLUE BOX MODEL0838BLS-B CATALOG13600 BOX MODEL 08380RS-B CATALOG 13601 ORANGE

The sale of automatic knives is federally regulated. See page 90 for details.





The sale of automatic knives is federally regulated. See page 90 for details.

BLADE Wharncliffe 839BKS1: Cerakoted

S35VN steel 839BLS, 8390RS: 154CM steel BLADE LENGTH

-

1.75" (4.40 cm) **BLADE THICKNESS** 0.120" (0.305 cm) CLOSED LENGTH

3.75" (9.50 cm) WEIGHT

3.50 oz (99.00 g) HANDLE Cerakoted aluminum with a button lock

CLIP Black Cerakoted, removable, reversible, stainless steel



BLADE Drop point, Cerakoted S35VN steel **BLADE LENGTH** 1.875" (0.300 cm) **BLADE THICKNESS**

0.120" (0.305 cm) CLOSED LENGTH 3.75" (9.50 cm)

WEIGHT 3.20 oz (92.00 g) HANDLE Cerakoted aluminum CLIP

Black Cerakoted, removable, reversible, stainless steel

BLADE Drop point, Cerakoted 154CM steel **BLADE LENGTH** 1.875" (0.300 cm)

BLADE THICKNESS 0.120" (0.305 cm) CLOSED LENGTH 3.75" (9.50 cm) WEIGHT 3.20 oz (92.00 g) HANDLE Cerakoted aluminum

CLIP Black Cerakoted, removable, reversible, stainless steel



839 MINI DEPLOY BLACKOUT



BOX MODEL 0839BKS-B CATALOG 13539

The sale of automatic knives is federally regulated. See page 90 for details.



AUTOMATIC

ENGAGES WITH THE PUSH OF A BUTTON

GRAY BOX MODEL 0839GYS1-B CATALOG 13446 BRONZE BOX MODEL 0839BRS1-B CATALOG 13445

The sale of automatic knives is federally regulated. See page 90 for details.





BOX MODEL 0838BKS-B CATALOG 13538

The sale of automatic knives is federally regulated. See page 90 for details.

Drop point, Cerakoted S35VN steel **BLADE LENGTH** 3.25" (8.30 cm) **BLADE THICKNESS** 0.120" (0.305 cm) **CLOSED LENGTH** 5.00" (12.70 cm) WEIGHT 4.25 oz (121.00 g) HANDLE Cerakoted aluminum CLIP Black Cerakoted,

removable, reversible, stainless steel

BLADE



BUCK T USA

AUTOMATIC

ENGAGES WITH THE PUSH OF A BUTTON

838 DEPLOY BLACKOUT



BLADE

Drop point, Cerakoted 154CM steel **BLADE LENGTH** 3.25" (8.30 cm) **BLADE THICKNESS** 0.120" (0.305 cm) **CLOSED LENGTH** 5.00" (12.70 cm) WEIGHT 4.25 oz (121.00 g) HANDLE Cerakoted aluminum CLIP Black Cerakoted, removable, reversible, stainless steel

AUTOMATIC ENGAGES WITH THE PUSH OF A BUTTON



The sale of automatic knives is federally regulated. See page 90 for details.

BLADE Clip point, 420HC steel **BLADE LENGTH** 3.75" (9.50 cm) **BLADE THICKNESS**

0.120" (0.305 cm) CLOSED LENGTH 4.875" (12.40 cm) WEIGHT 2.80 oz (80.00 g) HANDLE

ē

-

48

Glass filled nylon CLIP Deep pocket carry, removable, reversible, stainless steel



۲

8



BLACK	BOX MODEL 0110BKS1-B CATALOG 11878	CLAM MODEL 0110BKS1-C CATALOG 11964
O.D. GREEN	BOX MODEL 01100DS2-B CATALOG 12695	CLAM MODEL 01100DS2-C CATALOG 12696
ORANGE	BOX MODEL 01100RS2-B CATALOG 12699	CLAM MODEL 01100RS2-C CATALOG 12700



BLADE Clip point, 420HC steel BLADE LENGTH 3.00" (7.60 cm) **BLADE THICKNESS** 0.120" (0.305 cm) CLOSED LENGTH 4.25" (10.80 cm) WEIGHT 2.50 oz (71.00 g) HANDLE Glass filled nylon CLIP Deep pocket carry, removable, reversible, stainless steel



110 SLIM SELECT







BLACK BOX MODEL 0112BKS1-B CATALOG 11881 CLAM MODEL 0112BKS1-C CATALOG 11967 O.D. GREEN BOX MODEL 01120DS2-B CATALOG 12689 CLAM MODEL 01120DS2-C CATALOG 12690 ORANGE BOX MODEL 01120RS-B CATALOG 12024 CLAM MODEL 01120RS-C CATALOG 12025



112 SLIM PRO TRX







BLACK BOX MODEL 0110BKS3-B CATALOG 11880 0.D.GREEN BOX MODEL 0110GRS3-B CATALOG 13262 ORANGE BOX MODEL 01100RS3-B CATALOG 13263

BLADE Clip point, S30V steel

BLADE LENGTH

BLADE THICKNESS

0.118" (0.457 cm)

CLOSED LENGTH

5.00" (12.70 cm)

3.30 oz (93.60 g)

WEIGHT

HANDLE

3.75" (9.50 cm)

BLADE Clip point, S30V steel **BLADE LENGTH** 3.00" (7.60 cm)

BLADE THICKNESS 0.118" (0.457 cm) CLOSED LENGTH 4.375" (11.10 cm) WEIGHT

2.80 oz (79.30 g) HANDLE Black, O.D. green, or orange G10

CLIP Black Cerakoted, deep pocket carry, removable, reversible, stainless steel







BLACK BOX MODEL 0112BKS3-B CATALOG 11883 O.D. GREEN BOX MODEL 0112GRS3-B CATALOG 13264 ORANGE BOX MODEL 01120RS3-B CATALOG 13265


110 FOLDING HUNTER® SPORT



BOX MODEL 0110 GRS5-B CATALOG 13294

112 RANGER SPORT





BLADE

Clip point, S30V steel

with thumbstuds

5.00" (12.70 cm)

4.60 oz (132.00 g)

micarta inlay

CLIP

BLADE

with O.D. green canvas

Black Cerakoted, deep pocket carry, removable, stainless steel

pocket carry, removable,

stainless steel

BOX MODEL 0112GRS5-B CATALOG 13295



722 SPITFIRE





BLADE Drop point, 420HC steel **BLADE LENGTH**

3.25" (8.30 cm) BLADE THICKNESS 0.120" (0.305 cm) CLOSED LENGTH 4.25" (10.80 cm)

WEIGHT 3.20 oz (90.70 g) HANDLE Anodized aluminum CLIP

Removable, reversible, four position





BLACK	BOX MODEL 0722BKS1-B CATALOG 12237	CLAM MODEL 0722BKS1-C CA
GRAY	BOX MODEL 0722GYS1-B CATALOG 7449	CLAM MODEL 0722GYS1-C CA
ORANGE	BOX MODEL 07220RS1-B CATALOG 7453	CLAM MODEL 07220RS1-C CA

ATALOG 12238 ATALOG 7450 ATALOG 7454







BLADE Drop point, 420HC steel **BLADE LENGTH** 2.75" (7.00 cm) BLADE THICKNESS 0.098" (0.249 cm) CLOSED LENGTH 3.74" (9.50 cm) WEIGHT 2.10 oz (59.50 g) HANDLE Anodized aluminum CLIP Removable, reversible, two position



BLACK BOX MODEL 0726BKS-B CATALOG 12243 CLAM MODEL 0726BKS-C CATALOG 12244 GRAY BOX MODEL 0726GYS-B CATALOG 7800 CLAM MODEL 0726GYS-C CATALOG 7801 ORANGE BOX MODEL 07260RS-B CATALOG 7798 CLAM MODEL 07260RS-C CATALOG 7799



EVERYDAY CARRY

SMOOTH BALL BEARING OPENING THE SPRINT SERIES

The Sprint Series pocket knives are known for their incredibly smooth opening. Flick the flipper, and the ball bearings help the knife glide open.

843 SPRINT OPS



BLADE Reverse tanto, Cerakoted 843CFS: S45VN 843BKS: S30V 843GRS: S30V **BLADE LENGTH** 3.125" (7.94 cm) **BLADE THICKNESS** 0.120" (0.305 cm) CLOSED LENGTH 4.375" (11.11 cm) WEIGHT 3.14 oz (89.10 g) HANDLE 843CFS: Marbled carbon fiber 843BKS: Canvas micarta 843BRS: Burlap micarta CLIP

Black Cerakoted, deep pocket carry, removable, reversible, stainless steel



CARBON FIBER BOX MODEL 0843CFS-B CATALOG 13439 BOX MODEL 0843BKS-B CATALOG 13438 BLACK O.D. GREEN BOX MODEL 0843GRS-B CATALOG 13440



841 SPRINT PRO



BUCK THE USA

BUCK T USA

841CFS2: S45VN 841BRS1: S30V 841TNS: S30V **BLADE LENGTH** 3.125" (7.94 cm)

BLADE THICKNESS 0.120" (0.305 cm) CLOSED LENGTH

4.375" (11.11 cm) WEIGHT 3.40 oz (96.39 g)

HANDLE 841CFS2: Marbled carbon fiber 841BRS1: Burlap micarta 841TNS: Natural canvas micarta

CLIP Black Cerakoted, deep pocket carry, removable, reversible, stainless steel

CARBON FIBER BOX MODEL 0841CFS2-B CATALOG 13436 BROWN BOX MODEL 0841BRS1-B CATALOG 13435 TAN BOX MODEL 0841TNS-B CATALOG 13437

840 SPRINT SELECT

BLADE Drop point, 420HC steel BLADE LENGTH 3.125" (7.90 cm) **BLADE THICKNESS** 0.120" (0.305 cm) CLOSED LENGTH 4.375" (11.10 cm) WEIGHT 3.20 oz (90.70 g) HANDLE Glass filled nylon CLIP Deep pocket carry, removable, stainless steel





BLACK BOX MODEL 0840BKS1-B CATALOG 11896 CLAM MODEL 0840BKS1-C CATALOG 11981 GREEN BOX MODEL 0840GRS-B CATALOG 12058 CLAM MODEL 0840GRS-C CATALOG 12059 BLUE BOX MODEL 0840BLS-B CATALOG 12866 CLAM MODEL 0840BLS-C CATALOG 12867





2.375" (6.03 cm) 0.100" (0.254 cm) **CLOSED LENGTH** 3.75" (9.53 cm) WEIGHT 2.30 oz (65.20 g) HANDLE Canvas micarta CARRY Pocket carry

BLACK BOX MODEL 0250BKS-B CATALOG 13476 O.D.GREEN BOX MODEL 0250GRS-B CATALOG 13478



250 SAUNTER - DROP POINT BLADE

BUCK TO USA

BLADE Clip point, 154CM steel BLADE LENGTH 2.375" (6.03 cm) **BLADE THICKNESS** 0.100" (0.254 cm) CLOSED LENGTH 3.75" (9.53 cm) WEIGHT 2.30 oz (65.20 g) HANDLE Canvas micarta CARRY Pocket carry

BLACK BOX MODEL 0250BKS1-B CATALOG 13475 O.D. GREEN BOX MODEL 0250GRS1-B CATALOG 13477










BLADE Full flat grind, drop point, S45VN stainless steel 0040GRS: Cerakoted **BLADE LENGTH** 3.375" (8.60 cm)

0

BLADE THICKNESS 0.120" (0.305 cm) CLOSED LENGTH 4.875" (12.40 cm) WEIGHT 4.90 oz (138.00 g) HANDLE


Black or O.D. green textured G10 CLIP Removable

040BKS: Stonewashed stainless steel 040GRS: Black nitride stainless steel



-

420HC steel



BLADE Drop point 7Cr17 steel, partially serrated BLADE LENGTH 3.23" (8.20 cm) **BLADE THICKNESS** 0.112" (0.284 cm) CLOSED LENGTH 4.625" (11.76 cm) WEIGHT



000

6

20

BUCK

BRONZE

BUCK

BOX MODEL 0814BRS-B CATALOG 13861

BLUE BOX MODEL 0814BLS-B CATALOG 13766 CLAM MODEL 0814BLS-C CATALOG 13767

ORANGE BOX MODEL 08140RS-B CATALOG 13768 CLAM MODEL 08140RS-C CATALOG 13769

CLAM MODEL 0814BRS-C CATALOG 13862

Reversible, stainless steel

BLADE LENGTH

0.111" (0.282cm)

WEIGHT 1.85 oz (53.00 g)

HANDLE

CLOSED LENGTH 3.50" (8.89 cm)

Anodized aluminum CARRY

Reversible, stainless steel

BLADE THICKNESS

2.43" (6.17 cm)

BLADE Drop point, 7Cr17 steel











BLACK BOX MODEL 0813BKS-B CATALOG 13758 CLAM MODEL 0813BKS-C CATALOG 13759 CAMO BOX MODEL 0813CMS-B CATALOG 13762 CLAM MODEL 0813CMS-C CATALOG 13763 GRAY BOX MODEL 0813GYS-B CATALOG 13760 CLAM MODEL 0813GYS-C CATALOG 13761



325 COLLEAGUE



18 BLADE

Drop point, 7Cr17 steel **BLADE LENGTH** 1.975" (4.80 cm) **BLADE THICKNESS**

0.082" (0.208 cm)

CLOSED LENGTH 2.75" (7.00 cm) WEIGHT 1.30 oz (37.00 g) HANDLE Brushed stainless steel

CARRY

Pocket carry

the sea

BLADE

Drop point,

327SSS: 7Cr17 steel

BLADE LENGTH

2.625" (6.70 cm)

BLADE THICKNESS

0.095" (0.241 cm)

CLOSED LENGTH

3.75" (9.50 cm)

2.60 oz (74.00 g)

327SSS: Brushed

stainless steel 327CFS: Stainless steel with rubberized, carbon fiber graphic CLIP deep pocket carry,

removable. stainless steel

327TT: Titanium coated

stainless steel with EDM

WEIGHT

HANDLE

texture

327TTS and 327CFS:

Titanium coated 7Cr17 steel

BOX MODEL 0325SSS-B CATALOG 5830 CLAM MODEL 0325SSS-C CATALOG 5831

327 NOBLEMAN



TITANIUM COATED BOX MODEL 0327TTS-B CATALOG 5860 CLAM MODEL 0327TTS-C CATALOG 5861 STAINLESS STEEL BOX MODEL 0327SSS-B CATALOG 5834 CLAM MODEL 0327SSS-C CATALOG 5835 CARBON FIBER BOX MODEL 0327CFS-B CATALOG 3086 CLAM MODEL 0327CFS-C CATALOG 3087

NEW 743 MINI SOVEREIGN



Modified clip point 743CFS: Titanium coated 7Cr17 steel 743SSS: 7Cr17 steel **BLADE LENGTH** 2.625" (6.67 cm) **BLADE THICKNESS** **EVERYDAY CARRY**

0.110" (0.279 cm) CLOSED LENGTH 3.625" (9.20 cm)

WEIGHT 3.15 oz (90.00 g) HANDLE 743CFS: Stainless steel with rubberized, carbon

fiber graphic 743SSS: Stainless steel CLIP

Stainless steel LOCK Button lock

CARBONFIBER BOX MODEL 0743CFS-B CATALOG 13808 CLAM MODEL 0743CFS-C CATALOG 13809 STAINLESS STEEL BOX MODEL 0743SSS-B CATALOG 13810 CLAM MODEL 0743SSS-C CATALOG 13811

NEW 744 SOVEREIGN



744SSS: 7Cr17 steel **BLADE THICKNESS** 0.110" (0.279 cm) CLOSED LENGTH 4.25" (10.80 cm) WEIGHT 4.15 oz (119.00 g) HANDLE

744CFS: Stainless steel with rubberized, carbon fiber graphic 744SSS: Stainless steel CLIP

Stainless steel LOCK Button lock

CARBON FIBER BOX MODEL 0744CFS-B CATALOG 13812 CLAM MODEL 0744CFS-C CATALOG 13813 STAINLESS STEEL BOX MODEL 0744SSS-B CATALOG 13814 CLAM MODEL 0744SSS-C CATALOG 13815



EVERYDAY CARRY

BLADE LENGTH 3.375" (8.60 cm) **BLADE THICKNESS** 0.110" (0.280 cm) CLOSED LENGTH 4.50" (11.40 cm) WEIGHT 3.70 oz (104.90 g) HANDLE

239 INFUSION - MODIFIED TANTO BLADE



251 LANGFORD



BOX MODEL 0251BKS-B CATALOG13042 CLAM MODEL 0251BKS-C CATALOG13043 BLACK BOX MODEL 0251GRS-B CATALOG 13044 CLAM MODEL 0251GRS-C CATALOG 13045 GREEN

252 TRUNK

254 ODESSA



BLADE Cleaver, 7Cr17 steel **BLADE LENGTH** 2.875" (7.30 cm) **BLADE THICKNESS** 0.110" (0.280 cm) CLOSED LENGTH 4.00" (10.20 cm) WEIGHT 3.10 oz (87.90 g) HANDLE G10 CLIP Deep pocket carry, stainless steel

BLACK BOX MODEL0252BKS-B CATALOG13090 CLAM MODEL0252BKS-C CATALOG13091 TAN BOX MODEL 0252TNS-B CATALOG 13046 CLAM MODEL 0252TNS-C CATALOG 13047



BLADE Drop point, 7Cr17 steel **BLADE LENGTH** 3.125" (7.90 cm) **BLADE THICKNESS** 0.110" (0.280 cm) CLOSED LENGTH 4.375" (11.10 cm) WEIGHT 4.90 oz (138.91 g) HANDLE Stainless steel CLIP Deep pocket carry, stainless steel

ASSISTED OPENING

BLUE

ORANGE

BOX MODEL 0239BLS-B CATALOG 13547

CLAM MODEL 0239BLS-C CATALOG 13548

BOX MODEL 02390RS-B CATALOG 13551 CLAM MODEL 02390RS-C CATALOG 13552

263 HILINE



BOX MODEL 0263GYS-B CATALOG 13243 CLAM MODEL 0263GYS-C CATALOG 13244



BLADE

Cleaver, D2 steel

3.25" (8.30 cm)

BLADE THICKNESS 0.140" (0.356 cm)

CLOSED LENGTH 4.375" (11.00 cm)

Front: Gray anodized aluminum with G10 inlay

Back: Stonewashed

stainless steel **CLIP** Stonewashed

stainless steel

WEIGHT 3.90 oz (110.00 g)

HANDLE

259 HAXBY

BUCK

BLADE Drop point, 8Cr13 steel BLADE LENGTH 3.875" (9.80 cm) BLADE THICKNESS 0.130" (0.330 cm)

EVERYDAY CARRY

BLADE THICKNESS 0.130" (0.330 cm) CLOSED LENGTH 5.00" (12.70 cm) WEIGHT 4.50 oz (127.60 g) HANDLE Black carbon fiber CLIP Stainless steel

BOX MODEL 0259CFS-B CATALOG 13066 CLAM MODEL 0259CFS-C CATALOG 13067





ASSISTED OPENING GRAY BOX GREEN BOX

 GRAY
 BOX
 MODEL
 0.262GYS-B
 CATALOG
 CATA

 BLACK
 BOX
 MODEL 0263BKS1-B
 CATALOG 13553
 CLAM
 MODEL 0263BKS1-C
 CATALOG 13554

 GRAY
 BOX
 MODEL 0263GYS1-B
 CATALOG 13555
 CLAM
 MODEL 0263GYS1-C
 CATALOG 13554

 COPPER
 BOX
 MODEL 0263CYS1-B
 CATALOG 13557
 CLAM
 MODEL 0263GYS1-C
 CATALOG 13556



264 CAVALIER



ATALOG 13246 CLIP Stonewashed stainless steel

a more

BOX MODEL 0264GYS-B CATALOG13245 CLAM MODEL 0264GYS-C CATALOG13246

FISHING & OUTDOORS



104 COMPADRE CAMP KNIFE



OUTDOORS

BLADE Drop point, Cobalt Cerakoted 5160 spring steel **BLADE LENGTH**

4.50" (11.40 cm **BLADE THICKNESS** 0.150" (0.381 cm) OVERALL 9.50" (24.10 cm)

WEIGHT 7.10 oz (201.30 g) HANDLE Natural canvas micarta SHEATH Black, genuine leather, with belt loop attachment,

made in the USA

BOX MODEL 0104BRS1-B CATALOG 12245

BOX MODEL 0108BRS1-B CATALOG 12247

0

0

0

0

108 COMPADRE FROE°

BLADE Froe, Cobalt Cerakoted 5160 spring steel **BLADE LENGTH** 9.50" (24.10 cm) **BLADE THICKNESS** 0.230" (0.584 cm) OVERALL 16.75" (42.50 cm)

WEIGHT 23.20 oz (657.70 g) HANDLE Natural canvas micarta

SHEATH Black, genuine leather, with D ring attachment, made in the USA

YOUR BEST FRIEND IN THE OUTDOORS **THE COMPADRE SERIES**

Rugged environments require rugged tools. The Compadre Series was built with that in mind. With Cerakoted full tang 5160 steel, these tools can take a beating and continue performing for years to come.





0 70

OUTDOORS

BLADE Flexible fillet, titanium coated 420J2 steel **BLADE LENGTH** 6.50" (16.50 cm) **BLADE THICKNESS** 0.075" (0.191 cm) CLOSED LENGTH 7.25" (18.40 cm) WEIGHT 6.00 oz (170.10 g) HANDLE Glass reinforced polypropylene with





BOX MODEL 0835BRS-B CATALOG 10682 CLAM MODEL 0835BRS-C CATALOG 10683

836 FOLDING SELKIRK



BOX MODEL 0836BRS-B CATALOG 10678 CLAM MODEL 0836BRS-C CATALOG 10679

853 SMALL SELKIRK



BOX MODEL 0853BRS-B CATALOG 11109 | CLAM MODEL 0853BRS-C CATALOG 11110

863 SELKIRK



BOX MODEL 0863BRS-B CATALOG 10180 | CLAM MODEL 0863BRS-C CATALOG 10181

BLADE Drop point, 420HC steel **BLADE LENGTH** 3 25" (8 20 cm) **BLADE THICKNESS**

0.120" (0.305 cm) CLOSED LENGTH 4.25" (10.80 cm) WEIGHT 4.50 oz (127.50 g) HANDLE Brown and black contoured

micarta with a steel bolster CLIP Removable, reversible, discreet deep pocket carry



BLADE Drop point, 420HC steel **BLADE LENGTH** 3.90" (9.90 cm) **BLADE THICKNESS** 0.150" (0.381 cm) CLOSED LENGTH 5.00" (12.70 cm) WEIGHT 7.50 oz (212.60 g) HANDLE Brown and black contoured micarta with a steel bolster SHEATH Injected molded nylon sheath FEATURE 2.25" ferrocerium striker with whistle integrated in grip, imported

BLADE Drop point, 420HC steel **BLADE LENGTH** 4 00" (10 20 cm) **BLADE THICKNESS** 0.125" (0.318 cm) OVERALL 8.25" (21.00 cm) WEIGHT 6.40 oz (181.40 g) HANDLE Brown and black contoured micarta with steel pommel and guard SHEATH Injection molded nylon, removable

& reversible belt loop, imported



BLADE Drop point, 420HC steel **BLADE LENGTH** 4.625" (11.70 cm) **BLADE THICKNESS** 0.135" (0.343 cm) OVERALL 9.50" (24.10 cm) WEIGHT 7.60 oz (212.60 g) HANDLE Brown and black contoured micarta with steel pommel and guard SHEATH Injection molded nylon, imported. Can be configured into horizontal or vertical belt carry. FEATURES

2.25" ferrocerium striker with whistle integrated in the grip. Rear bolster can be used as an improvised hammer.





BOX MODEL 0220BLS-B CATALOG 3201 CLAM MODEL 0220BLS-C CATALOG 3202

223 SILVER CREEK 6" FILLET

BLADE Flexible fillet, titanium coated 420J2 steel BLADE LENGTH 6.375" (16.20 cm) **BLADE THICKNESS**

0.075" (0.191 cm) OVERALL 11.125" (28.30 cm) WEIGHT

5.00 oz (142.00 g) HANDLE Glass reinforced polypropylene with TPE rubber and a stainless steel guard

SHEATH Injection molded plastic with integrated belt clip and stylized drain hole, imported

BLADE

Flexible fillet, titanium coated 420J2 steel BLADE LENGTH

9.625" (24.40 cm) **BLADE THICKNESS**

0.075" (0.191 cm)

4.375" (36.50 cm)

5.30 oz (150.20 g)

OVERALL

WEIGHT

BOX MODEL 0223BLS-B CATALOG 3116 | CLAM MODEL 0223BLS-C CATALOG 3117

225 SILVER CREEK 9" FILLET



HANDLE Glass reinforced polypropylene with TPE rubber and a stainless steel guard

SHEATH Injection molded plastic with integrated belt clip and stylized drain hole, imported



BLADE

144: Flexible fillet, 5Cr15 steel 145: Flexible fillet, titanium coated 5Cr15 steel 146: Flexible fillet, 5Cr15 steel 147: Flexible fillet, titanium coated 5Cr15 steel 148: Flexible fillet, 5Cr15 stee 149: Cleaver, titanium coated 5Cr15 steel 150: Cleaver, titanium

coated 5Cr15 steel BLADE LENGTH

144: 6.00" (15.50 cm) 145: 6.00" (15.50 cm) 146: 9.00" (23.00 cm) 147: 9.00" (23.00 cm) 148: 6.34" (16.10 cm) 149:10.00" (15.50 cm)

150: 6.35" (16.12 cm) **BLADE THICKNESS**

144: 0.080" (0.20 cm) 145: 0.080" (0.20 cm) **146:** 0.080" (0.20 cm) **147:** 0.080" (0.20 cm) 148: 0.070" (0.18 cm) 149: 0.118" (0.30 cm) 150: 0.118" (0.30 cm)

OVERALL LENGTH

144: 11.54" (29.30 cm) 145:11.54" (29.30 cm) 146:14.45" (36.70 cm) 147:14.45" (36.70 cm) 148: 8.03" (20.40 cm) closed 149:15.83" (40.20 cm) 150:12.17" (30.90 cm)

WEIGHT

144: 3.93 oz (111.50 g) **145:** 3.93 oz (111.50 g) 146: 4.40 oz (125.00 g) 147: 4.40 oz (125.00 g) 148: 5.29 oz (150.00 g) 149: 8.34 oz (236.50 g) 150: 9.60 oz (272.00 g)

HANDLE Polypropylene and TPE

SHEATH

Injected molded plastic with integrated belt loop, imported *148 does not include sheath



FROM HOOK TO TABLE

THE HOOKSETS

These knives were made to help you take your catch from the hook to the table as

efficiently as possible. With options for salt and freshwater, these knives are prepared

for any fishing trip.

POLYPROPYLENE AND TPE

PLASTIC SHEATH

WITH VENTING

HANDLES PROVIDE NON-SLIP GRIP

144 HOOKSET 6" FRESHWATER FILLET



BOX MODEL 01440RS-B CATALOG 13269 CLAM MODEL 01440RS-C CATALOG 13270

145 HOOKSET 6" SALTWATER FILLET

BOX MODEL 0145BLS-B CATALOG 13271 CLAM MODEL 0145BLS-C CATALOG 13272

146 HOOKSET 9" FRESHWATER FILLET



BOX MODEL 01460RS-B CATALOG 13273 CLAM MODEL 01460RS-C CATALOG 13274

147 HOOKSET 9" SALTWATER FILLET



BOX MODEL 0147BLS-B CATALOG 13275 CLAM MODEL 0147BLS-C CATALOG 13276

148 HOOKSET 6" FRESHWATER FOLDING FILLET



BOX MODEL 01480RS-B CATALOG13277 CLAM MODEL 01480RS-C CATALOG13278

149 HOOKSET 10" SALTWATER BREAKER

BOX MODEL 0149BLS-B CATALOG 13279 CLAM MODEL 0149BLS-C CATALOG 13280

150 HOOKSET 6" SALTWATER CLEAVER



BOX MODEL 0150BLS-B CATALOG 13281 CLAM MODEL 0150BLS-C CATALOG 13282

FLEXIBLE BLADE FOR THE PERFECT FILLET **FRESH AND SALTWATER OPTIONS**



EGAC



THE HEIGHT OF OUR CRAFTSMANSHIP THE 2024 LEGACY COLLECTION

From classics, to autos, to the return of the BuckMaster, there is something to please any knife collector.

NEW 084 BUCKMASTER 2.0 COMBAT DIVER PRO





BOX MODEL 0500CFSLE-B CATALOG 13650





BOX MODEL 0402BKSLE-B CATALOG 13745

BLADE Spear point, Armor Black Cerakoted 420HC steel **BLADE LENGTH** 6.75" (17.10 cm) **BLADE THICKNESS** 0.230" (0.584 cm) OVERALL 13.00" (33.02 cm) WEIGHT 17.50 oz (496.00 g) HANDLE Machine textured G10 SCABBARD Black Kydex, omnidirectional, friction fit, with nylon backer, and Emergency Anchor Wing (EAW) storage attachment with ability to deploy EAW while in scabbard. Made in the USA. FFATURE Ambidextrous, reversible. removable. Armor Black Cerakoted stainless steel EAW

BLADE Modified clip point, S30V steel **BLADE LENGTH** 3.00" (7.60 cm) **BLADE THICKNESS** 0.110" (0.279 cm) CLOSED LENGTH 4.25" (10.80 cm)

WEIGHT 4.45 oz (126.00 g) HANDLE Barehead nickel silver bolster with marble carbon fiber inlays

CLIP Stainless steel



BLADE Skinner, S35VN steel **BLADE LENGTH** 4.75" (21.07 cm) **BLADE THICKNESS** 0.180" (0.457 cm) OVERALL 10.125" (25.72 cm) WEIGHT 8.75 oz (248.10 g) HANDLE Black burlap micarta with a red spacer SHEATH Black, distressed leather with rivets, made in the USA



CLOSED LENGTH 4.25" (10.80 cm) WEIGHT 5.15 oz (146.00 g) HANDLE Nickel silver barehead bolster with scalloped

black and brown Richlite

Black genuine leather,

made in the USA

. . .

S45VN steel

Modified clip point.

BLADE LENGTH

BLADE THICKNESS

3.00" (7.62 cm)

BLADE

SHEATH

BLADE LENGTH

0.120" (0.305 cm

3.00" (7.62 cm) **BLADE THICKNESS**

BOX MODEL 0112BKSLE2-B CATALOG 13741

NEW 112 RANGER SLIM

NEW 112 RANGER PRO





0.120" (0.305 cm) CLOSED LENGTH 4.25" (10.80 cm) WEIGHT

3.90 oz (111.00 g) HANDLE Bead blasted titanium with bronze PVD fasteners

CLIP Black, DLC coated, tip-up, reversible

BLADE LENGTH 3.25" (8.30 cm) **BLADE THICKNESS**

0.120" (0.305 cm **CLOSED LENGTH**

5.00" (12.70 cm)

4.15 oz (120.00 g)

Marbled carbon fiber

lock, safety and spacer

Cerakoted, deep pocket

with copper button

carry, removable,

stainless steel

WEIGHT

HANDLE

CLIP

BOX MODEL 0112GYSLE-B CATALOG 13703









BOX MODEL 0838CFSLE-B CATALOG 13648

The sale of automatic knives is federally regulated. See page 90 for details.

2024 LEGACY

THE OB4 BUCKMASTER 2.0 COMBAT DIVER PRO

The legendary BuckMaster Model 184 took the knife world by storm in the 1980s. Built as a mission-critical tool for military use, the original BuckMaster found a following among those in and out of uniform. Buck Knives delivered 2,500 BuckMasters to the world-renowned U.S. Navy SEALs in 1985. Consequently, the original BuckMaster Model 184, having undergone rigorous field testing by U.S. Navy SEALs, U.S. Army Special Forces, and various other special operations personnel, emerged as a pivotal design that led to the development of the venerable M9 Multi-Purpose Bayonet System, a tool that earned official adoption by the U.S. Army in 1987.

For 2024, Buck Knives proudly presents the long-awaited 084 BuckMaster 2.0 COMBAT DIVER PRO. It is built to exacting standards with the direct input of current and former service members, including retired U.S. Navy SEAL Commander D.T. Coulter. Commander Coulter's 55-year journey for the perfect dive knife led to the creation of the Buckmaster 2.0. This next-generation BuckMaster is built to meet the exacting challenges of today's military. Buck Knives will allocate 1,000 084 BuckMaster 2.0 COMBAT DIVER PROs to its 2024 Legacy Collection, allowing civilians the opportunity to own and collect a special knife with combat DNA.

The original Buckmaster Model 184 had two detachable anchors that could secure maritime equipment in coral or sand for a load capacity of 250 lbs. Likewise, the BuckMaster 2.0 has an anchor system called the Emergency Anchor Wing (EAW). Unlike the two-piece detachable pin system of the original Buckmaster, the EAW has a distinctive one-piece wing shape that is reversible, ambidextrous, and designed with a load capacity of 400 lbs. The Buckmaster 2.0 blade has a strong spear point blade suited for diver-specific duties such as prying and digging. Infused with Commander Coulter's fieldbased design intent and a specially formulated Paul Bos heat treatment developed by Paul himself, this knife stands ready no matter the application.

This year, the history of the BuckMaster perseveres with the introduction of the ultimate diving knife, the new 084 BuckMaster 2.0 COMBAT DIVER PRO.



"IN MY OPINION, BUCK KNIVES MAKES SOME OF THE BEST KNIVES IN THE WORLD." -COMMANDER D.T. COULTER U.S. NAVY SEAL, RETIRED

SHARPENERS

EDGETEK ULTRA FLIPSTIK



FLIPSTIK HANDLE DOUBLES AS A CASE! BOX MODEL 97044-B CATALOG 4976 | CLAM MODEL 97044-C CATALOG 4977 Twist to lock or unlock!

EDGETEK FIELD FLIPSTIK



FLIPSTIK HANDLE **DOUBLES AS A CASE!** Twist to lock or unlock! BOX MODEL 97043-B CATALOG 4974 CLAM MODEL 97043-C CATALOG 4975

EDGETEK FISHING FLIPSTIK



FLIPSTIK HANDLE **DOUBLES AS A CASE!** BOX MODEL 97032-B CATALOG 7590 CLAM MODEL 97032-C CATALOG 7591 Twist to lock or unlock!

EDGETEK ULTRA STEEL 10"



BOX MODEL 97082-B CATALOG 6253 CLAM MODEL 97082-C CATALOG 6254





BOX MODEL 97081-B CATALOG 6251 CLAM MODEL 97081-C CATALOG 6252

MATERIAL 100% Diamond coated oval surfaces SIZE 4.00" x 0.50" (10.20 cm x 1.30 cm) OVERALL LENGTH 9.00" (22.90 cm) CLOSED LENGTH 5.00" (12.70 cm) WEIGHT

3.00 oz (85.00 g) GRIT 325 (Coarse) 750 (Medium) 1200 (Fine)

> MATERIAL 100% Diamond coated oval surfaces SIZE 4.00" x 0.75" (10.20 cm x 1.90 cm) **OVERALL LENGTH** 9.00" (22.90 cm) **CLOSED LENGTH** 5.00" (12.70 cm) WEIGHT 1.90 oz (53.90 g)

GRIT 750 (Medium) both sides

MATERIAL 100% Diamond coated oval surfaces SIZE 4.00" x 0.50" (10.20 cm x 1.30 cm) OVERALL LENGTH 9.00" (22.90 cm)

CLOSED LENGTH 5.00" (12.70 cm) WEIGHT 1.60 oz (45.40 g)

GRIT 325 (Coarse hook grooves) 750 (Medium, flat)

MATERIAL 100% Diamond coated oval surfaces

SIZE 10.00" x 0.50" (25.40 cm x 1.30 cm) OVERALL LENGTH

15.75" (40.00 cm) WEIGHT 6.90 oz (195.60 g) GRIT 325 (Coarse)

750 (Medium) 1200 (Fine)

MATERIAL 100% Diamond coated oval surfaces SIZE 10.00" x 0.50" (25.40 cm x 1.30 cm) OVERALL LENGTH 15.25" (38.70 cm) WEIGHT 3.30 oz (93.60 g) GRIT

750 (Medium) both sides

EDGETEK DUAL FLAT POCKET STONE





750 (Medium)

SHEATH

Black vinvl

MATERIAL

STONE LENGTH

BOX MODEL 97076-B CATALOG 6241 | CLAM MODEL 97076-C CATALOG 6242

EDGETEK BENCH STONE (MEDIUM AND COARSE)

6.00" x 2.00" (15.20 cm x 5.10 cm) OVERALL LENGTH 7.625" x 2.625" (19.30 cm x 11.70 cm) WEIGHT 4.60 oz (130.40 g) GRIT Red: 750 (Medium) single side

Yellow: 325 (Course) single side

100% Diamond coated surfaces

BOX MODEL 97078-B CATALOG 6245 CLAM MODEL 97078-C CATALOG 6246 RED YELLOW BOX MODEL 97077-B CATALOG 6243 CLAM MODEL 97077-C CATALOG 6244

SOFT ARKANSAS STONE





MATERIAL 100% Natural Quartz crystals-Novaculite LENGTH

1.625" x 4.375" (4.20 cm x 11.10 cm)

GRIT 500-600 (Course) SHEATH Black nylon

BOX MODEL 97017-B CATALOG 10094

DIAMOND POCKET SHARPENER



MATERIAL Diamond sharpener in a retractable, pen style barrel. Tapered end for serrated blades. Fish hook groove. Flat side for straight blades. Pocket clip. Portable, versatile and durable for field use. CLOSED LENGTH 5125 (13.10 cm) GRIT

400 (Medium)

BOX MODEL 97070-B CATALOG 5867





BUCK KNIVES DISPLAYS

Contact your sales rep for ordering information.

ACRYLIC DISPLAY STANDS







5-KNIFE STAND Clear acrylic with black Buck logo

"Knives i		"Knives		
WIDTH 4.125" (11.80 cm)		' IDTH 125" (11.80 cm)		
HEIGHT 3.75" (9.50 cm)	MODEL CATALOG	21005 5519	3.	E IGHT 75" (9.50 cm)
DEPTH 5.50" (14.00 cm)				EPTH 50" (14.00 cm)

3-KNIFE STAND Clear acrylic with black Buck logo *Knives not included

*Knives not included WIDTH L50" (3.80 cm) MODEL 21004

CATALOG 2188

MODEL 21008 HEIGHT 2.00" (5.10 cm) CATALOG 2192 DEPTH 2.00" (5.10 cm)

1-KNIFE STAND

Clear acrylic with black Buck logo

NEW MULTI-TIER DISPLAY STANDS







WIDTH 9.13" (23.19 cm) HEIGHT MODEL 21088 7.50" (19.05 cm) CATALOG 13895 DEPTH 8.38" (21.29 cm) *Knives not included

5-TIFR KNIFF GLORIFIFR

WIDTH 9.13" (23.19 cm)		
HEIGHT	MODEL	21089
14.00" (35.56 cm)	CATALOG	13896
DEPTH 11.88" (30.18 cm)	*Knives not	included

SINGLE SLOT 1-KNIFE STAND

Clear acrylic with black Buck logo *Knives not included

WIDTH 1.50" (3.80 cm)		
HEIGHT 1.125" (4.40 cm)	MODEL CATALOG	
DEPTH 1.125" (4.40 cm)		

1-TIER KNIFE GLORIFIER

3.00" (7.62 cm) *Knives not included

MODEL 21087

CATALOG 13894

WIDTH 9.13" (23.19 cm)

HEIGHT

DEPTH

5.00" (12.70 cm)



NEW COUNTER DISPLAY

16.00" (40.64 cm) HEIGHT 22.50" (57.15 cm)

DIAMETER



MODEL 95284 CATALOG 13521



BUCK LOGO SIGNS

11.00" (47.94 cm) DEPTH 0.024" (0.061 cm) FEATURES Easy to hang
 Highly legible MODEL 95283 CATALOG 13520 • Made in the USA

MODEL 21090 CATALOG 13897 *Knives not included

NEW FLOOR DISPLAYS



WITH GLASS SHELVES MODEL 21091 CATALOG 13898 *Knives not included





BUCK

WITH MAGNETIC SHELVES MODEL 21092 CATALOG 13899 *Knives not included

ILLUMINATED SIGN

23.00" (58.42 cm)

17.00" (43.18 cm) DEPTH 0.50" (1.27 cm)

 LED illumination Aluminum and acrylic construction • Multiple hanging options • Low-draw LED with

WIDTH

HEIGHT

FEATURES

high output

17.50" (44.45 cm) HEIGHT Aluminum construction

QUALITY BRANDED HATS AND SHIRTS BUCK GEAR

Drawing inspiration from over a century of knife making, this 2024 apparel run is a mix of new and vintage designs. Soft, comfortable, and stylish, this collection of tees and hats make the perfect addition to any wardrobe.



100% Cotton, Army, Midweight, Regular Fit

MODEL 13447-SML CATALOG 13865 MODEL 13447-MED CATALOG 13866 MODEL 13447-LRG CATALOG 13867 MODEL 13447-XLG CATALOG 13868 MODEL 13447-2XL CATALOG 13869 MODEL 13447-3XL CATALOG 13870



MODEL 13448-LRG CATALOG 13873 MODEL 13448-XLG CATALOG 13874 MODEL 13448-2XL CATALOG 13875 MODEL 13448-3XL CATALOG 13876



PETROL BLUE BUCK LOGO T-SHIRT 100% Cotton, Petrol Blue, Midweight, Regular Fit

> MODEL 13449-SML CATALOG 13877 MODEL 13449-MED CATALOG 13878 MODEL 13449-LRG CATALOG 13879 MODEL 13449-XLG CATALOG 13880 MODEL 13449-2XL CATALOG 13881 MODEL 13449-3XL CATALOG 13882





BUCK KNIVES MFG CO HAT MODEL 89175 CATALOG 13889



MODEL 89176 CATALOG 13890



O.D. GREEN VINTAGE LOGO HAT MODEL 89147 CATALOG 12806



BUCK MULTICAM HAT MODEL 89146 CATALOG 12805

MARSH DUCK CAMO HAT

MODEL 89177 CATALOG 13891

NEW



LEATHER PATCH O.D. GREEN HAT MODEL 89160 CATALOG 13418

BARK DUCK CAMO HAT

MODEL 89178 CATALOG 13892

NEW



EMBROIDERED BLACK LOGO HAT MODEL 89162 CATALOG 13420



BLAZE DUCK CAMO HAT MODEL 89179 CATALOG 13893



QUALITY BLADES TEE 100% Cotton, Copper, Lightweight, Regular Fit

> MODEL 13433-SML CATALOG 13376 MODEL 13433-MED CATALOG 13377 MODEL 13433-LRG CATALOG 13378 MODEL 13433-XLG CATALOG 13379 MODEL 13433-2XL CATALOG 13380 MODEL 13433-3XL CATALOG 13381



BUCK BLADES T-SHIRT 100% Cotton, Charcoal, Midweight, Regular Fit

MODEL 13431-SML CATALOG 13364 MODEL 13431-MED CATALOG 13365 MODEL 13431-LRG CATALOG 13366 MODEL 13431-XLG CATALOG 13367 MODEL 13431-2XL CATALOG 13368 MODEL 13431-3XL CATALOG 13369



NEW

100% Cotton, Camel, Midweight, Regular Fit MODEL 13450-SML CATALOG 13883

MODEL 13450-MED CATALOG 13884 MODEL 13450-LRG CATALOG 13885 MODEL 13450-XLG CATALOG 13886 MODEL 13450-2XL CATALOG 13887 MODEL 13450-3XL CATALOG 13888

STEEL TYPES, BLADE SHAPES, AND LOCKING MECHANISMS

KNIFE KNOW-HOW

COMMON BLADE STEELS



Magnacut is one of the best all-around steels available today, and the highest-performance steel Buck offers. This CPM (Crucible Particle Metallurgy) stainless steel offers outstanding toughness, amazing corrosion resistance, and exemplary edge retention. A clever refinement of the chromium content of the steel means that Magnacut does not make any trade-offs. Magnacut does not trade toughness for edge retention, which is a common problem in high-hardness steels. Magnacut does not trade edge retention for sharpenability, which is a challenge in most stainless steels. Magnacut was designed specifically for usage in knives, and makes for a great choice for an EDC folder, a hard-working camp knife, and everything in between.



RC 59-61

CPM S45VN is a martensitic stainless steel designed to offer improved corrosion and wear resistance over other leading steels. The CPM process produces a uniform, high-quality steel defined by supreme stability, and toughness compared to those produced by other melting practices. The chemical components in S45VN utilize niobium and nitrogen in place of some of the vanadium and carbon to provide an excellent combination of edge, wear, and corrosion resistance, and toughness. This steel is a solid choice for heavy use, such as an everyday carry or work knife.



RC 58-62

154CM is a modification of 440C where molybdenum has been added. With greater corrosion/wear resistance, better edge retention, and a higher Rockwell hardness than 440C. 154CM's combination of traits that make this an excellent choice in pocket knives where edge retention and ease of sharpening in the field matter.



RC 59-61

CPM S35VN is a martensitic stainless steel created to provide improved toughness over CPM S30V. The chemical makeup is balanced to form some niobium carbides along with vanadium and chromium carbides, making CPM S35VN about 15-20% tougher than CPM S30V without any loss of wear resistance. This increased toughness helps prevent edge chipping, as both vanadium and niobium carbides are harder and more effective in providing wear resistance. A premier hunting steel, it would be appropriate for the big game hunter or guide who intends to field dress multiple animals.



RC 58-60 This martensitic stainless steel with its

hardness at a Rc of 58-60 results in a good balance between edge retention, amazing corrosion resistance, and ease of resharpening. This steel is a good choice for every kind of knife from hunting and everyday carry, to kitchen cutlery. This high-value steel will live through years of service and edge maintenance.



RC 59-61

Small grain structure with a high carbon content has allowed this powdered steel to become the industry standard by which other super steels are measured. With our BOS heat treat process, the Rc 59-61 steel outperforms other steels in edge retention, ductility, and wear resistance. This steel takes a beating and holds an edge for a long time. The properties that allow it to hold an edge also slow the sharpening process. S30V is perfect for somebody seeking a high-performance blade, but does not want to have to sharpen in the field.



RC 57-58

This high carbon spring steel is a great choice for applications that require impact loads and extreme bending. At a Rc 57-58, the steel is not brittle. It will bend and flex back to its original shape while still remaining hard enough for good edge retention.





GUTHOOK

puncturing internal organs.

CLEAVER

A cleaver blade is an excellent option

for everyday use. This blade excels at chopping or any tasks where puncturing

would be less than ideal, like opening

packages. This thick blade shape is a

durable, reliable choice for daily needs.



DROP POINT



This blade is concavely clipped with a A full belied blade with a strong, thick point With a curved belly, this shape excels at thinner and sharper tip, making it good for for heavier tasks. A great all-around blade. cutting through thick layers. This shape also reduces the risk of accidental punctures.

SERRATED

Serrations on a blade add a semi-saw like

function. This is especially useful when

working with wet line, cord, or cable.

WHARNCLIFFE

Thicker and stronger, wharncliffe blades

can handle applied pressure. This blade

is typically shorter than average with an

arched back for added strength.



detailed work and piercing.

TANTO Designed with a heavier, stronger, angled This design hits the skin of an animal square and keeps the hide from bunching grind for very heavy-duty use while piercing, scraping, and prying. up in the process, reducing the risk of



SPEAR POINT

Spear points have sharp, strong tips for piercing and may include a finger rest on top for detailed cutting control. Spear point blades are made for survival and rescue situations where piercing with the knife is needed.



COPING A narrow blade with a sharp, angular point. It is designed to cut in tight places or curved patterns.

a smaller version of the spear point.

Originally developed to trim quill pens, this blade shape is effectively



SPEY Originally developed to neuter farm animals, the blunt point is well suited for sweeping strokes or skinning.

COMMON LOCKING MECHANISMS

LOCKBACK

Named for the rocking lock plate visible on Locks open via a tensioned metal liner Similar to a liner lock, but when the blade the back of the handle. The opening blade inside the handle. This mechanism can be causes the rocker to lock against the blade making for a very trustworthy folder.

LINER LOCK

closed one handed.

FRAME LOCK


opens, the frame lock moves into the handle opening and locks against the blade.

give you a clean cut.

PEN

COMMON BLADE SHAPES

SALES TERRITORIES



	INSIDE SALES CONT
J HARDING ASSOCIATES (503)359-5233 or (800)735-2825 ext. 179	ANDREA MOD (800)735-2825 amodine@buck
GRIMSRUD-BARNES, INC (651)698-1008 or (800)735-2825 ext. 110	JEAN STEVEN (800)735-2825 jstevens@buck
TACKETT BROTHERS, INC (479)586-4525 or (800)735-2825 ext. 110	REBECCA TAN (800)735-2825
BELHUMEUR (604)814-2161 or (800)735-2825 ext. 179	rtamasonis@b
UPPER CANADA SPORTS (905)562-0162 or (800)735-2825 ext. 180	
(800)735-2825 ext. 180	
(800)735-2825 ext. 110	

CTS

INE ext. 179 kknives.com

ext. 110 knives.com

MASONIS ext. 180 uckknives.com

BUCK KNIVES

EMAIL dealer@buckknives.com

> PHONE (800)735-2825

INTERNATIONAL PHONE (208)262-0500 ext. 179

FAX dealerservicesfax@buckknives.com

ADDRESS 660 S Lochsa St Post Falls, ID 83854



KNIFE SKU INDEX

0040BKS	53	01120RS3	47	0254SSS	64	0501RWS	55	0663BRS	26	0814BLS	60	97070	82
0040GRS	53	0112GRS5	49	0259CFS	66	0503RWS	55	0663GYS	27	0814BRS	60	97076	82
0055BRS	55	0113BRS	19	0262GYS	66	0630BKS	31	06630RS	27	08140RS	60	97077	82
0084BKX	77	0117BKS	18	02620DS	66	0630GRS	30	0663WAS	26	0835BRS	71	97078	82
0102BKS	18	0117GRS	16	0263GYS	65	06300RS	31	0664BKS	24	0836BRS	71	97081	81
0102GRS1	16	0119BKS	18	0263BKS1	65	0631BKS	31	0664BRS	26	0838CFSLE	78	97082	81
0103BKS	18	0119GRS1	16	0263GYS1	65	0631GRS	30	0664GYG	28	0838BKS1	44		
0103GRS1	16	0120BKS	18	0263CPS1	65	06310RS	31	0664GYS	28	08380RS	44		
0104BRS1	70	0120GRS1	16	0264GYS	66	0631BKSVP	29	06640RG	28	0838BLS	44		
0105BKS	18	01440RS	74	0284BKS	39	0631GRSVP	29	06640RS	28	0838BKS	45		
0105GRS1	16	0145BLS	74	0284CMS24	39	06310RSVP	29	0664WAS	26	0838BRS1	45		
0108BRS1	70	01460RS	74	0284CMS9	39	0635BKS	32	0684BKS	38	0838GYS1	45		
0110BRS	11	0147BLS	74	0285BKS	40	0635GRS	30	0685BKG	38	0839BKS1	44		
0110BRSFG	11	01480RS	74	0285CMS24	40	06350RS	32	0685BKS	38	08390RS	44		
0110BRSA	12	0149BLS	74	0285CMS9	40	0636BKS	32	0691BKG	20	0839BLS	44		
0110BKSA	12	0150BLS	74	0286BKS	40	0636GRS	30	0692BKS	20	0839BKS	46		
0110BKSLT	12	0191BRG	20	0286CMS24	40	06360RS	32	0722BKS1	50	0839BRS1	46		
0110BKS1	48	0192BRS	20	0286CMS9	40	0656GRS	36	0722GYS1	50	0839GYS1	46		
01100DS2	48	0220BLS	72	0301BKS	56	06560RS	34	07220RS1	50	0840BKS1	52		
01100RS2	48	0223BLS	72	0303BKS	56	0657GRG	36	0726BKS	50	0840BLS	52		
0110BKS3	47	0225BLS	72	0325555	61	06570RG	34	0726GYS	50	0840GRS	52		
0110GRS3	47	0239BKS	63	0327CFS	61	0658GRS	36	07260RS	50	0841BRS1	52		
01100RS3	47	0239GRS1	63	0327555	61	06580RS	34	0743SSS	62	0841CFS2	52		
0110GRS5	49	0239GRS	63	0327TTS	61	0659GRS	36	0743CFS	62	0841TNS	52		
0112BRS	14	0239BKS1	63	0341RWS	56	06590RS	34	0744SSS	62	0843BKS	50		
0112BRSFG	14	0239BLS	63	0346RWS	56	0660GRG	36	0744CFS	62	0843CFS	50		
0112BRSA	14	02390RS	63	0371BRS	57	06600RG	34	0811BKS	59	0843GRS	50		
0112BKSA	14	0250BKS	54	0373BRS	57	0661GRS	36	0811CMS	59	0853BRS	71		
0112BKSLE2	78	0250GRS	54	0375BRS	57	06610RS	34	0811GYS	59	0863BRS	71		
0112GYSLE	78	0250BKS1	54	0379BRS	57	0662BKS	24	0812BLX	60	0870BKX	61		
0112BKS1	48	0250GRS1	54	0382BRS	58	0662BRS	25	0812BRX	60	0870CMX	61		
01120DS2	48	0251BKS	64	0385BRS	58	0662GYS	27	08120RX	60	97017	82		
01120RS	48	0251GRS	64	0389BRS	58	06620RS	27	0813BKS	59	97032	81		
0112BKS3	47	0252BKS	64	0402BKSLE	77	0662WAS	25	0813CMS	59	97043	81		
0112GRS3	47	0252TNS	64	0500CFSLE	77	0663BKS	24	0813GYS	59	97044	81		

©2023 Buck Knives, Inc. No part of this catalog may be used or reproduced in any form, for any purpose without the express written consent of Buck Knives, Inc. Certain utility and design patents issued to Buck Knives are noted, however, Buck Knives holds additional patents pending, design and utility patents both domestic and foreign on products in this catalog. All trademarks indicated are owned and/or registered by Buck Knives, Inc. except as follows: Dynaflex and Versaflex are a registered trademarks of Polyone Corp.; Micarta is a registered trademark of Industrial Laminates/Norplex, Inc.; Mossy Oak, Mossy Oak Break-Up COUNTRY and Mossy Oak Blaze are registered trademarks of Haas Outdoors, Ind.; FlipStik and JewelStik are registered trademarks of Hewlett Manufacturing; Cerakote is a registered trademark of NIC Industries, Inc. an Oregon corporation; DymaLux is a registered trademark of Cousineau Wood Products of Maine, LLC.

Knife laws and regulations can vary significantly from location to location. As such, certain styles, sizes and blades may not be permitted in certain locations and areas. Buck Knives produces many different types of knives for a wide variety of legitimate everyday use. However, due to the complex and ever changing nature of knife laws and regulations, it is not possible for Buck Knives to be aware of specific prohibitions in areas where its knives may be purchased, carried, or used. It is the responsibility of the buyer/user to investigate, understand and comply with any and all laws and regulations that may apply to his or her area. The buyer/user is solely responsible for any claims arising from violations of these laws or regulations or any unintended use or misuse of the product.

The sale of automatic knives is federally regulated. Always check permissibility within your state or locality as non-federal personnel may be precluded from ownership or use by state laws. NO EXCEPTIONS WILL BE MADE. Purchase of automatic knives must be preceded by the submission of an Automatic Knife Acknowledgement Form. Shipping of Automatic Knives: Automatic knives shipped by Buck Knives, Inc will be sent via common courier and CANNOT be shipped by the U.S. Postal Service. All returns of automatic knives must be shipped via common courier as well, and not by the U.S. Postal Service. Our policy requires that all automatic knives require a signed Automatic Knife Acknowledgement Form.



660 S LOCHSA STREET POST FALLS, ID 83854

WEB BUCKKNIVES.COM

PHONE 800.735.2825 208.262.0500

EMAIL DEALER@BUCKKNIVES.COM

MODEL 12064 CATALOG 13863 PRINTED IN THE USA

